

TEXTURE SPRAYERS

Graco's Complete Line of Professional Texture Sprayers



PROVEN QUALITY. LEADING TECHNOLOGY.



THE MOST COMPLETE AND HIGHEST PERFORMING TEXTURE SPRAYER LINE

Experienced contractors know the difference. Graco professional texture sprayers are recognized as solid investments that perform reliably, year after year. Regardless of your texture application—decorative or smooth finishes, exterior or interior—Graco has a complete solution for you.

TRUST YOUR BUSINESS AND REPUTATION TO GRACO

Graco is committed to providing the highest quality texture airless sprayers available, backed by the industry's best warranty.

AMERICAN BUILT QUALITY SINCE 1926

100% factory-tested and field-proven Graco professional texture sprayers are designed, manufactured, and assembled in the USA with global components.

INDUSTRY-LEADING WARRANTY

Behind every Graco sprayer is the industry's strongest warranty. You may never use Graco's warranty — but if you do, we will be there.



GRACO-ONLY SOLUTIONS THAT KEEP YOU SPRAYING



PATENT PENDING

THE LONGEST LASTING PUMPS EVER BUILT

- Longest life in the industry with Vortex[™] rotating piston rod
- 6X more gallons sprayed between repacks
- Extends pump rod life by 3X
 — delivering the industry's
 lowest cost of ownership



(PATENT PENDING)

STREAMLINE YOUR BUSINESS WITH BLUELINK™ SYSTEM

- Track every sprayer exact location and hourly productivity
- Know job progress ensure you're on time with needed materials
- Maximize uptime—set maintenance schedules, alerts, and jobsite notes

MAXFIo™ 2

(PATENT PENDING)

TRUE PACK-OUT PROTECTION

- Self-cleaning Vibra-Seal[™]
 Technology provides more productivity
- Optimized fluid passageways for the heaviest coatings



(PATENTED)

THE EASIEST MAINTENANCE

- ProConnect[™] 2 swap your pump in minutes with no tools
- Eliminates costly jobsite downtime
- QuikPak[™]— repack your pump in minutes

Roto**Flex**™

(GRACO EXCLUSIVE)

INNOVATIVE ONE-PIECE PUMP

- Flow-through design delivers smooth material flow
- Unmatched durability and lowest cost of ownership
- Exclusive FlexChange[™] no-tools pump replacement system

START

GRACO EXCLUSIV

SMARTSTART™ SYSTEM

- Automatically start and stop the pump and compressor
- Soft-start eliminates material blasts to ensure a quality finish
- Reduces noise and vibration while extending pump and compressor life

Wide**Tex**™

(PATENT PENDING)

WIDETEX™

- Delivers wide fan-spray pattern to finish faster
- Delivers the most consistent pattern
- Eliminates fatigue associated with circular gun movement

Pressure**Boost**

(GRACO EXCLUSIVE)

PRESSURE BOOST TECHNOLOGY

- Exclusive pressurized hopper gun design
- 6X faster than traditional hopper guns
- The power of a large spray rig in the palm of your hand



1

GET THE INTERIOR AND EXTERIOR FINISH YOU WANT

With the widest selection of texture sprayers to choose from and a host of performance enhancing accessories, there is a Graco texture sprayer to help you complete your projects—no matter what finish you desire.



| | INTERIOR TEXTURE | | | | | EXTERIOR TEXT | URE | |
|------------------------------|---|--|---|---|---|--|---|--|
| | | | | | | | | |
| | SIMULATED ACOUSTIC (POPCORN) | ORANGE PEEL, FINE SPLATTER | SPLATTER | KNOCKDOWN | SMOOTH, LEVEL 5, AND SKIM COAT | TEXTURED ACRYLICS AND ELASTOMERICS | EIFS AND SYNTHETIC STUCCO FINISH COATS | DECK COATINGS |
| COMMONLY USED MATERIALS | Ceiling Spray Textures Containing Polystyrene or Vermiculite Aggregate (Fine, Medium, Coarse) | All-Purpose Joint Compounds Lightweight Joint Compounds Wall and Ceiling Spray Textures | All-Purpose Joint Compounds Lightweight Joint Compounds Wall and Ceiling Spray Textures | All-Purpose Joint Compounds Lightweight Joint Compounds Wall and Ceiling Spray Textures | All-Purpose Joint Compounds Lightweight Joint Compounds Wall and Ceiling Spray Textures Skim Coat Materials Wall Surfacing Materials | Textured Acrylic Materials Textured Elastomeric Materials | Textured Acrylic Materials Used as the Final Coat in a Multilayered Wall System | Decorative and Anti-skid Deck Coatings |
| SPRAYER RECOMMENDATIONS MIN | Gravity-Fed Hopper Gun • FastFinish™ Hopper Gun • RTX™ 1400sı • RTX 2000PI RTX 2500PI RTX 5000PI GTX 2000EX HTX™ 2030 • 10:1 President* T-MAX 6912™ | Gravity-Fed Hopper Gun FastFinish Hopper Gun RTX 1400sl RTX 2000Pl RTX 2500Pl RTX 5000Pl GTX 2000Ex T-MAX 6912" Mark IV HD "* Mark V HD "* Mark X HD"* GMAX® II 5900 HD* GMAX II 7900 HD* HTX 2030 DutyMax GH 230 HD* DutyMax GH 300 HD* | Gravity-Fed Hopper Gun FastFinish Hopper Gun RTX 1400sl RTX 2000Pl RTX 2500Pl RTX 5000Pl GTX 2000Ex T-MAX 6912" Mark IV HD Mark V HD Mark X HD GMAX II 5900 HD GMAX II 7900 HD HTX 2030 DutyMax GH 230 HD DutyMax GH 300 HD | MarkAnd | Mark IV HD Mark V HD Mark X HD GMAX II 5900 HD GMAX II 7900 HD HTX 2030 DutyMax GH 230 HD T-MAX 6912 | Gravity-Fed Hopper Gun FastFinish Hopper Gun RTX 5000px RTX 5500px Use with aggregates up to 3 mm GTX 2000ex Use with aggregates up to 2 mm HTX 2030 Use with aggregates up to 2.0 mm 10:1 President Use with aggregates up to 2.0 mm T-MAX 6912" Use with aggregates up to 2.0 mm | Gravity-Fed Hopper Gun FastFinish Hopper Gun RTX 5000px -RTX 5500px Use with aggregates up to 3 mm GTX 2000ex Use with aggregates up to 2 mm HTX 2030 Use with aggregates up to 2.0 mm 10:1 President Use with aggregates up to 2.0 mm T-MAX 6912" Use with aggregates up to 2.0 mm | Gravity-Fed Hopper Gun FastFinish Hopper Gun RTX 5000px RTX 5500px Use with aggregates up to 3 mm T-MAX 6912" Use with aggregates up to 2.0 mm |
| TEXTURE ACCESSORIES | WIDETEX KIT – 24S142 (RTX 1500, GTX 2000ex) SIPHON KIT – 248112 (GTX 2000ex) AIR LINE KIT – 248117 (GTX 2000ex) | WIDETEX KIT – 24S142 (RTX 1500, GTX 2000ex) SIPHON KIT – 248112 (GTX 2000ex) AIR LINE KIT – 248117 (GTX 2000ex) AIR ATOMIZER KIT – 244223 (AII Mark HD, GMAX II HD, DutyMax HD) 25 GAL. HOPPER – 287987 (AII Mark HD, Gmax II HD, DutyMax HD, HTX 2030) 55 GAL. SIPHON SET – 289669 (Mark X HD, Gmax II 7900 HD, DutyMax GH 230 HD, DutyMax GH 300 HD) | WIDETEX KIT − 24S142 (RTX 1500, GTX 2000e) SIPHON KIT − 248112 (GTX 2000e) AIR LINE KIT − 248117 (GTX 2000e) AIR ATOMIZER KIT − 244223 (AII Mark HD, GMAX II HD, DutyMax HD) 25 GAL. HOPPER − 287987 (AII Mark HD, Gmax II HD, DutyMax HD, HTX 2030)) 55 GAL. SIPHON SET − 289669 (Mark X HD, Gmax II 7900 HD, DutyMax GH 230 HD, DutyMax GH 300 HD) | AIR ATOMIZER KIT – 244223 (All Mark HD, GMAX II HD, DutyMax HD)) 25 GAL. HOPPER – 287987 (All Mark HD, Gmax II HD, DutyMax HD, HTX 2030) 55 GAL. SIPHON SET – 289669 (Mark X HD, Gmax II 7900 HD, DutyMax GH 230 HD, DutyMax GH 300 HD) | 25 GAL. HOPPER – 287987 (All Mark HD, Gmax II HD, DutyMax HD, HTX 2030) 55 GAL. SIPHON SET – 289669 (Mark X HD, Gmax II 7900 HD, DutyMax GH 230 HD, DutyMax GH 300 HD) HIGH PRESSURE PUMP KIT – 24B140 (HTX 2030) | HARDENED WIDETEX KIT – 24S143 (RTX 1500, GTX 2000a) EXTERNAL AIR KIT – 287328 (RTX 5500a) | HARDENED WIDETEX KIT – 24S143 (RTX 1500, GTX 2000±x) EXTERNAL AIR KIT –287328 (RTX 5500±x) | HARDENED WIDETEX KIT – 24S143 (RTX 1500, GTX 2000x) EXTERNAL AIR KIT –287328 (RTX 5500x) |

*User-supplied air compressor and Air Atomizer Kit (Part # 244223) required for this application.

** Requires user supplied air compressor. Minimum 20 SCFM recommended

3

FINISH SMALL TEXTURE JOBS UP TO 6X FASTER

THE POWER OF A LARGE SPRAY RIG IN THE PALM OF YOUR HAND

Innovative system uses air to boost performance and deliver a superior spray finish.

HOLD 20 LBS OVER YOUR HEAD FOR ONE HOUR — OR JUST 10 MINUTES?



See FastFinish in action!





HOW IT WORKS

- 1) Air enters gun
- 2) Adjustable Flow Control sends air to hopper
- 3) Air pushes down on material
- 4) Pressurized material and air mix, creating a texture finish

TEXSPRAY FASTFINISH TEXTURE SPRAY SYSTEM

Small and portable, FastFinish maximizes material and air flow—making it the ideal solution for smaller texture jobs.

TEXSPRAY FASTFINISH PRO TEXTURE SPRAY SYSTEM INCLUDES:



FASTFINISH CF9 AIR COMPRESSOR (PATENT PENDING)

Powerful 9 cfm @ 40 psi (Maximum pressure 60 psi)

• Better atomization and projection

Heavy-Duty 2 HP AC Motor

• 120 V, 15 amp

Piston-Powered Tankless Design

- 4X larger passageways deliver 30% more airflow
- Always ready to spray: no draining or maintenance

Light and Portable Cart Design

One-person loading

SPRAYS ALL FINISHES:

- Acoustics
- Deck coatings
- Drywall mud
- Fireproofing
- Knockdown
- Waterproofing
- Splatter
- Deck coatingsMuch more
- Orange peel
- Fine concrete overlays



4 mm, 6 mm, 8 mm Nozzles WideTex Fan Spray Kit

Sealed Hopper to keep material fresh

 Spray overhead and in tight spaces without spills

3/8 IN X 50 FT PREMIUM NON-MARKING AIR HOSE



| TEXSPRAY FASTFINISH | PART # | INCLUDES |
|--|--------|--|
| FastFinish Pro Texture Spray System | 25D492 | FastFinish Pressure-Boosted Gun, CF9 Compressor, 3/8 in x 50 ft Air Hose |
| FastFinish Standard Texture Spray System | 25D494 | G-TEX Gravity-Feed Gun, CF9 Compressor, 3/8 in x 50 ft Air Hose |
| FastFinish CF9 Air Compressor | 25D490 | CF9 Air Compressor Only |
| FastFinish Pressure-Boosted Hopper Gun | 25D496 | FastFinish Pressure-Boosted Gun, 1.5 Gallon Hopper, 3 Nozzles, WideTex |
| G-TEX Gravity-Feed Hopper Gun | 25D497 | G-TEX Gravity-Feed Gun, 1.5 Gallon Hopper, 3 Nozzles |

Material Flow

Air Flow

CHOOSE THE RIGHT SERIES OF TEXTURE SPRAYER

With a Graco air compressor built in, these air-assisted texture sprayers are complete "out-of-the-box" solutions that are built to make your work easier, faster, and more productive.

Only Graco is committed to professional texture contractors by offering the widest variety of texture solutions.



EVERYDAY RELIABILITY

Residential and Remodel Contractor

- Applying texture periodically
- Jobs are often smaller
- Need everyday reliability
- Don't need extra features



WORK SMARTER, FINISH MORE JOBS

Large Residential and Commercial Interior Contractor

- Applying texture every day
- Tackle medium to large projects
- Moving frequently from job to job
- Need time-saving features to get on to the next job



FOR THE TOUGHEST JOBS

Large Commercial and Commercial Exterior Contractor

- Applying exterior texture finishes often
- · Complete small, medium, and large jobs
- Need a powerful yet compact sprayer for a wide range of materials



SERIES






















8.6 CFM (.24)







SERIES

INTERIOR JOBS

EXTERIOR JOBS



RTX STANDARD INTERIOR SERIES EVERYDAY RELIABILITY

RTX Standard Interior Series sprayers are designed for the residential and repaint contractor that demands everyday reliability.



GET THE JOB DONE OUICKLY

Jobsite-Proven RotoFlex II Pump

- 1.4 gpm output
- Innovative braided pump tube for longest life

33% MORE AIR FOR DEMANDING FINISHES

High-Output 6.1 cfm Air Compressor

- · High-output, maintenance-free design
- · Projects materials farther

IMPROVED POWER AND PFRFORMANCE

120 V AC High-Output Electric Motor

• Optimized single-motor design operates air compressor and RotoFlex[™] pump

IMPROVED HANDLING AND FLEXIBILITY

Skip-Bond Material/Air Hose

• Both hoses are permanently bonded together for easy handling

ELIMINATE COSTLY DOWNTIME

FlexChange Pump Section

• Swap your RotoFlex pump in seconds no tools required

MAXIMUM CONTROL

Adjustable Material Flow Control

· Quickly adjust material flow up or down with easy-to-read gauge

COMFORTABLE SPRAYING

Lightweight Spray Gun

• Easy-to-use air and trigger adjustments in a durable, corrosion-resistant design

CONVENIENT STORAGE

Onboard Toolbox

· Conveniently store nozzles and accessory items



TEXSPRAY RTX STANDARD INTERIOR SERIES GPM (LPM) PART # TexSpray RTX 1400si 17H572 1.4 (5.3)

PRODUCTIVITY

RTX TEXTURE — LARGE RESIDENTIAL AND COMMERCIAL INTERIOR

RTX PRO INTERIOR SERIES PROMITERIOR



WORK SMARTER, FINISH MORE JOBS

Optimized texture systems perfect for contractors seeking time-saving features to increase productivity to get to the next jobsite faster.



RTX Pro Interior Series sprayers include:

- RotoFlex Pump
- High-Output Air Compressor
- FlexChange Pump Section



PLUS TRIGGER-ACTIVATED POWER

SmartStart System

- Automatically start and stop the pump and compressor
- Soft-start eliminates material blasts to ensure a quality finish
- Reduces noise and vibration while extending pump and compressor life



TEXSPRAY RTX PRO INTERIOR SERIES

TexSpray RTX 2000PI

TexSpray RTX 2500PI

TexSpray RTX 5000PI

TOTAL SPRAY CONTROL

Heavy-Duty Aluminum Trigger Gun

• Select prime mode at the gun with Integrated Prime Selector

 Spray more material longer with durable aluminum design and oversized passages

PART #

17H573

17U219

17H575

MORE AIR FOR DEMANDING FINISHES

Twin-Cylinder Air Compressor (5000er only)

 High-output, maintenance-free design runs at lower RPM for longest life

INCREASE PRODUCTIVITY BY OVER 20%

WideTex Tips and Adapter

 Spray uniform, repeatable patterns with less material and pressure adjustment

IMPROVED HANDLING AND FLEXIBILITY

Skip-Bond Material/Air Hose

 Both hoses are permanently bonded together for easy handling





RTX PRO EXTERIOR SERIES

TACKLE EXTERIOR JOBS OF ALL SIZES

Ideal for large residential and commercial contractors needing a compact yet powerful texture sprayer capable of handling a wide variety of materials, such as synthetic stuccos, deck coatings, and more.

RTX Pro Exterior Series sprayers include:

- RotoFlex Pump
- FlexChange Pump Section

PLUS TRIGGER-ACTIVATED POWER

SmartStart System

- Automatically start and stop the pump and compressor
- Soft-start eliminates material blasts to ensure a quality finish
- Reduces noise and vibration while extending pump and compressor life

MORE AIR FOR DEMANDING FINISHES

Twin-Cylinder Air Compressor

 High-output, maintenance-free design runs at lower RPM for longest life

INCREASE PRODUCTIVITY BY OVER 20%

WideTex with Hardened Tips and Adapter

- Spray uniform, repeatable patterns with less material and pressure adjustment
- 2X harder than Standard WideTex tips!

ADDED AIR CAPABILITY

External Air Input

 Allows external air to be used for demanding finishes

TOTAL SPRAY CONTROL

Heavy-Duty Aluminum Trigger Gun

- Select prime mode at the gun with Integrated Prime Selector
- Spray more material longer with durable aluminum design and oversized passages

IMPROVED HANDLING AND FLEXIBILITY

Heavy-Duty Material/Air Hose

 Both hoses are permanently bonded together for easy handling

240 V POWER OPTION

TexSpray RTX 5500px

 Connects to standard 220-240 V L6-30 receptacles (3 wire) on most distribution boxes or generators



 TEXSPRAY RTX PRO EXTERIOR SERIES
 PART # GPM (LPM)

 TexSpray RTX 5000px
 17H579
 5.0 (18.9)

 TexSpray RTX 5500px
 17H581
 5.5 (20.8)

GAS-POWERED AGGREGATE AIR-POWERED TEXTURE

HTX 2030 GAS MECHANICAL **TEXTURE SPRAYER**

SPRAY THE MOST DEMANDING MATERIALS

The HTX 2030 is specifically engineered to spray nearly everything — from exterior smooth and aggregate coatings, elastomerics, acrylic coatings, drywall mud finishes, as well as paints and primers, with the available high-pressure MaxLife[®] Endurance™ Pump.



TIME-SAVING **PRODUCTION RATES**

High-Output Texture Pump

- Pump aggregated materials up to 2.0 mm with extra large passages
- · More uptime with no-tools hose connections at pump and gun
- Consistent, optimal performance with innovative foot valve soft seal



FULL-RANGE FLOW CONTROL

PowerFlo™ Control System

- Remotely stops and starts material flow right at the pump
- Smooth, controlled material flow prevents pack-out conditions
- · Soft start eliminates material blast to ensure finish quality

REDUCED PACK-OUT CONDITIONS

StraightThru™ Fluid Path

 Easily spray more demanding and aggressive aggregate materials

FreeFlo™ Inline Gun

 Maximum flow from oversized, unobstructed fluid passages

NEW! STX Trigger Gun Applicator

- Virtually eliminates pack-out, while providing a soft-start when trigger is pulled
- trigger for easier operation
- Ideal for spraying EIFS and synthetic
- · Consistent material coverage in either

- Extended reach to minimize
- · Spray in a wide fan pattern

FlexHead™ Pole Gun'


- Greater control in tight areas on scaffolding and around architectural detail
- · Spray in a wide fan pattern

TEXTURE APPLICATIONS

Interior and exterior texture finishes with aggregate size up to 2.0 mm

TexSpray HTX 2030 Complete Plus+ w/ STX Trigger Gun Applicator w/50' Hose

TexSpray HTX 2030 Complete Plus+ w/ STX Trigger Gun w/100' Hose



APPLICATORS FOR EVERY JOB

- Automatically turns on/off pump with
- stucco finish coats
- a round pattern or wide fan pattern

3 ft Pole Gun*

26C683

26C684

3.0 (11.4)

3.0 (11.4)

- repositioning of lifts and ladders

TexSpray HTX 2030 Complete TexSpray HTX 2030 Complete +

PRESIDENT 10:1

The President 10:1 is the ideal solution when you need to pump from a drum. This proven sprayer is ideal for smooth to heavily aggregated materials containing silica sand, perlite, vermiculite, or polystyrene.

AIR-POWERED TEXTURE SPRAYERS

HIGH-PERFORMANCE SOLUTIONS FOR HEAVY-DUTY JOBS

Powered by your external air compressor, these air-powered texture solutions get the job done fast — whether coating a large interior surface or applying an exterior aggregate finish on a large commercial job.



GTX 2000EX

A highly portable texture system for both smooth materials and those with fine aggregates, the GTX 2000EX is the ideal solution for drywall muds, deck coatings, and exterior aggregate acrylic and elastomeric finishes.

| TEXSPRAY GTX | PART # | GPM (LPM) |
|---------------------|--------|------------|
| TexSpray GTX 2000EX | 257030 | 4.0 (15.1) |

JOBSITE-PROVEN PERFORMANCE

Husky™ 1040 Double Diaphragm Pump

• Texture delivery rates to 4.0 gpm from durable, high-output 1-inch pump

DURABLE, USER-FRIENDLY SPRAYING

Air Spray Heavy-Duty Trigger Gun

- Pump heavy mud mixes and larger aggregate with oversized fluid passages
- Quick nozzle changes with extra-coarse oun head threads

LONGER SPRAY TIME

Largest 17-Gallon Capacity Hopper

· Easy cleanup and removal with no tools

COMPLETE CONTROL

Separate Pump/Gun Air Controls

· Produce precise, consistent, and repeatable texture finishes

IMPROVED HANDLING AND FLEXIBILITY

Skip-Bond Material/Air Hose

- Both hoses are permanently bonded together for easy handling
- Oversized arip with no-tools hose connection

MOISTURE BUILDUP ELIMINATED

Onboard Air Filtration

· Automatically filters air to keep your sprayer running at optimal performance

EASY SETUP AND OPERATION

EvenFlow® Valve

· Smooth, even material flow with air regulators and pressure gauges

CONSISTENT FINISH OUALITY

Relax-A-Valve (Carbon Steel Model Only)

• Eliminates the material blast and ensures a soft start with easy trigger pull

TIME-SAVING PRODUCTION RATIOS **High-Output Piston Pump**

Submerged foot valve ensures the pump

- is preloaded with material
- Texture delivery rates to 3.0 gpm (11 lpm) at 1000 psi (69 bar)
- · Available in both carbon steel and stainless steel

MAINTENANCE-FREE DESIGN

Heavy-Duty Graco Air Motor

· Proven air motor delivers years of reliable, dependable operation

EASY DRUM MOUNTING

Convenient Drum Mount Setup

- Save space in your truck or on the job by mounting directly to material containers
- Use in open or closed head drums (carbon steel units)

| PRESIDENT 10:1 | PART # | GPM (LPM) |
|---------------------------------------|--------|------------|
| President 10:1 Carbon Steel Complete* | 225886 | 3.0 (11.4) |
| President 10:1 Carbon Steel Complete* | 225877 | 3.0 (11.4) |
| President 10:1 SST Complete* | 987429 | 3.0 (11.4) |
| President 10:1 SST Bare* | 954088 | 3.0 (11.4) |

*Sold separately.

TEXSPRAY T-MAX™ 6912

THE NEXT LEVEL IN POWER AND VERSATILITY

The New Graco T-MAX 6912 provides the versatility and performance to spray almost all interior and exterior texture applications — whether you're spraying smooth compounds for interior skim coats and decorative finishes or aggregate-based materials for exterior jobs.



SUPERIOR VERSATILITY FOR TEXTURE APPLICATIONS AND MATERIALS

- Airless: Easily apply skim coats without a compressor
- Air-Assisted: Spray decorative finishes and heavy aggregates up to 2 mm with your external air compressor*



ULTIMATE POWER AND CAPABILITY TO HANDLE MOST TEXTURE APPLICATIONS

• 1000 psi and 3.2 gpm from the industry-proven T-MAX Pump

EASY-TO-USE AND MORE FORGIVING FOR THE BEST FINISH

- Precision pressure and flow control
- Innovative STX[™] Gun provides soft-start operation that eliminates material bursts

EVEN MATERIAL FLOW AND LESS PACK-OUT

· Oversized passages for maximum productivity

EASY TRANSPORT

- Modular frame provides easy, no-tools connect and disconnect
- Wheeled pump and hopper modules allow for easy, independent transport or storage

SIMPLE JOBSITE OPERATION

- Plug-in anywhere with 120 V capability
- Keep sprayer in-place with long, extended hose lengths

FAST, EASY CLEANUP AND PUMP MAINTENANCE

 Access pump internals in seconds without tools — even with a full hopper



EXCLUSIVE FEATURES TO KEEP YOU SPRAYING



HEAVY-DUTY MODULAR FRAME

- Steel construction withstands jobsite abuse
- Easy, no-tools connect and disconnect
- Small, compact and balanced design for easy maneuvering



OVERSIZED HOPPER WITH LID

- 25 Gallons for less refilling
- Steep-sided design keeps material flowing

QUICK-ACCESS PISTON PUMP

- Access any part of the pump in seconds — without tools
 - Even with a full hopper of material





SMALL, COMPACT, — AND MANEUVERABLE

- Balanced design for easy rolling — even when full
- Locking front swivel caster wheel



- Flexible hose sets available in various lengths
- Choose between airless Inline Lance or air-assisted STX applicator, both featuring 360° live swivel for effortless spraying.
- Pole applicators available for extended reach

SPRAYS THE WIDEST RANGE OF TEXTURE MATERIALS



*Separate air compressor required. Requires minimum 20 SCFM air compressor.

| TEXSPRAY T-MAX 6912 | PART # | GPM (LPM) |
|---|--------|-----------|
| TexSpray T-MAX 6912 - 50 ft Air-Assisted w/ STX Gun and Hopper | 17Z283 | 3.2 (12) |
| TexSpray T-MAX 6912 - 50 ft Airless Model w/ Lance and Hopper | 17X989 | 3.2 (12) |
| TexSpray T-MAX 6912 - 100 ft Air-Assisted w/ STX Gun and Hopper | 17Z284 | 3.2 (12) |
| TexSpray T-MAX 6912 - 100 ft Air-Assisted w/ STX Gun, Mixer and Hopper | 17Z703 | 3.2 (12) |
| TexSpray T-MAX 6912 - 100 ft Air-Assisted w/ STX Gun and 55 Gallon Siphon Set | 18A556 | 3.2 (12) |
| | | |

INDUSTRY-PROVEN T-MAX PUMP

(PATENT PENDING)

- Proven design delivers long life with minimal maintenance
- Oversized passages ensure minimal pressure drop
- Long-life thick chrome rod and sleeve construction



INNOVATIVE NEW STX GUN

PATENT PENDING

- Automatic sequential shut-off stops pump first, then air and material, for less pack-out
- Forgiving soft start operation eliminates material bursts to deliver smooth finishes
- Perfect for decorative finishes with smooth or aggregate materials up to 2 mm



INTRODUCING HD 3-IN-1 AIRLESS SPRAYERS

SPRAY IT ALL: PAINT, HEAVY COATINGS & TEXTURE

Selecting the right spray equipment is critical to your business. You need a sprayer that can tackle your current jobs, but also one that gives you room to grow by expanding your capabilities. With an HD sprayer, you'll have the confidence that you'll always have the right sprayer — no matter the job!

OPTIMIZED TO DELIVER MORE PERFORMANCE THAN A TYPICAL SPRAYER TO SPRAY MORE MATERIALS

ONE SPRAYER, MANY APPLICATIONS

- **PAINT:** sprays the full range of paints and primers
- HEAVY COATINGS: fireproofing, waterproofing, vapor-barrier, and more
- TEXTURE: Level 5, Skim Coat, Orange Peel*, Splatter* and Knock-Down* (* with air atomizer kit)





HD 3-IN-1 SPRAYERS FOR EVERY JOBSITE

Graco offers three separate families of 3-in-1 sprayers to provide power and size options to handle every jobsite condition so you can get the job done right, every time.

MARK HD Electric-Powered



GMAX II HD Gas-Powered, Mechanical



DUTYMAX HD

Gas / Electric Convertible Hydraulic





Keeping your equipment on-site in materialRequiring extreme durability and reliability

BREAKTHROUGH ENDURANCE VORTEX MAXLIFE AND MAXLIFE EXTREME™ TECHNOLOGY

THE LONGEST LASTING PUMPS EVER BUILT



EXTREME





Endurance Chromex[™] Pump Lasts 2X longer than the next leading brand



Endurance Vortex MaxLife Pump 6X longer between repacks



Endurance Vortex MaxLife Extreme Pump

Extends pump rod life by 3X delivering the industry's lowest cost of ownership



VORTEX ROTATING PISTON TECHNOLOGY KEEPS YOU SPRAYING

PATENT PENDING

Built with Graco exclusive EXTREME ROD that is an abrasion-resistant composite to deliver the most durable, hardest wear surface possible

6X more gallons sprayed between repacks—Extreme Composite extends pump rod life by 3X, delivering the industry's lowest cost of ownership





VORTEX TECHNOLOGY Rotating rod for extended life pump life



Delivers high-velocity flow to rotate pump rod as you spray







EASIEST SERVICE IN THE INDUSTRY QuikPak Cartridge System

Repack the entire pump in less than 2 minutes

ProConnect 2 Pump Replacement

• Pre-assembled modular replacement

QuikAccess™ Intake Foot Valve

Clear debris faster with easy inlet ball access



MAXFLO 2 WITH PACK-OUT PROTECTION

- Self-cleaning Vibra-Seal Technology eliminates material buildup
- Continuous spraying with True Pack-Out Protection for more productivity
- Optimized fluid passageways for the heaviest coatings









NEW WAY

Modular pre-oiled cartridge packings install correctly every time









1) Insert pre-oiled packing cartridge assembly

2) Remove disposable clip

3) Assemble pump

STAY IN CONTROL WITH BLUELINK

BlueLink connects the people and equipment that drive your business in a completely new way. Whether on the jobsite, at the office, or anywhere in between, BlueLink provides the critical information you need every day — including real-time jobsite access, instant maintenance alerts, on-demand productivity reports, and much more!



HOW IT WORKS:



DATA IS STORED **ON YOUR SPRAYER**



AUTOMATICALLY UPDATES EACH TIME YOUR EMPLOYEES ARE NEAR THE SPRAYER



EXPERIENCE THE PROFIT DRIVING RESULTS THROUGH BETTER JOB MANAGEMENT

Back CENTRAL HIGH SCHOOL 9 120 S Tenth St, Minneapolis, MN 55440, United S... Bob Manager, Ted Manager 620/800 gal Compare bid Dan Painter, Last Synced Today, 10:36 AM accuracy—know productivity facts from anywhere! Job Status In Progress Job Gallon History Wednesday - Nov 21, 2018 Manage your crew and their supplies

- FREE TO USE—NO MONTHLY FEES
- TRACK YOUR WHOLE ELECTRIC FLEET
- INCLUDED ON MOST ELECTRIC MODELS
- SELECT FROM 13 LANGUAGES



Monitor Hourly productivity to ensure job is on-time with the needed materials

COMPANY SPRAYERS Make fewer trips to jobsites

LOCATE EVERY SPRAYER

Know exact locations of your sprayers and hourly productivity




MAXIMIZE UPTIME Monitor preventative

> Access to complete historical maintenance records on every sprayer

and receive alerts

Easily look up service parts on your sprayer with Graco PartsBook!



GET STARTED TODAY

Get BlueLink working for your business today. Download the BlueLink app now!





ELECTRIC AIRLESS — NEW RESIDENTIAL AND REPAINT /

MARK HD STANDARD SERIES



EVERYDAY RELIABILITY

Unmatched durability and performance, with the capability to handle the widest range of tip sizes, longer hose lengths and heavier coatings with ease.



MARK HD PROCONTRACTOR™ SERIES

WORK SMARTER, FINISH MORE JOBS

Designed to deliver speed and performance so you can get to the next jobsite faster and increase your profits.



THE MOST RELIABLE PUMP

New Endurance Chromex Piston Pump

- Lasts 2X longer than the next leading brand
- Long-life ceramic and stainless steel balls included for maximum versatility
- Faster cleaning with the QuikAccess intake foot valve

LESS PACK-OUT, MORE PRODUCTIVITY

New MaxFlo 2 with Pack-Out Protection

- Self-cleaning Vibra-Seal Technology eliminates material buildup
- Continuous spraying with True Pack-Out Protection for more productivity
- Optimized fluid passageways for the heaviest coatings



MARK STANDARD SERIES

Mark IV HD

Mark V HD

PRECISION PRESSURE CONTROL

New SmartControl 4.0 with ProGuard Protection System

- Lowest dead band at any pressure delivers a consistent spray fan without pressure fluctuation
- Prevents electrical damage from extreme jobsite power conditions
- WatchDog Pump Protection System automatically prevents pump damage if the material supply is too low

FAST CLEANING NOW EVEN FASTER

New FastFlush 2 System

- Clean the pump 6X faster using 1/2 the water
- High-velocity fluid flow delivered with 60% higher motor speed

GET MORE WORK DONE

Worry-Free MaxPower Motor

- Proven performance for all painting applications
- High-torque brushless design with a Lifetime Warranty
- Use longer cords, regardless of voltage fluctuations

THE LONGEST LASTING DRIVE

Precision Advantage Drive™

- Improved jobsite conditions with extremely quiet operation
- Lifetime warranty





LONGER PUMP LIFE

New Endurance Vortex MaxLife Piston Pump

Breakthrough Vortex Rotating Piston Technology Keeps You Spraying:

- Oversized passages for high-velocity flow to rotate piston for even wear
- Go 6X longer between repacks with innovative MaxLife coating
- · Longest-life packings and piston rod
- Long Life ceramic and stainless steel balls included for maximum versatility



EASY HOSE MANAGEMENT

QuikReel™ Hose Management System

BLUE +LIN

- Deploy and rewind up to 300 feet of hose in seconds
- No twisting, kinking, or coiling
- Use only the hose you need the rest stays on the reel

ELIMINATE COSTLY DOWNTIME

ProConnect 2 Pump Replacement System

 Swap your pump in less than 1 minute — no tools, pins, or parts to lose

IMPROVED FILTRATION

Crushproof Inlet Strainer

 Stands up to harsh impacts to maintain filtering and flow

Mark HD ProContractor Series sprayers also include all Standard Series features:

- NEW BlueLink Job and Sprayer Management System
- NEW SmartControl 4.0 with ProGuard
- **NEW** MaxFlo 2 with Pack-Out Protection
- **NEW** FastFlush 2
- WatchDog Pump Protection System
 Face Out Pump Filter
- Easy Out Pump Filter
- Precision Advantage Drive
- MaxPower Motor
- · Heavy-Duty Prime Valve
- Rugged, Durable Cart Design

Ready to Work: complete with texture gun, 3/8 in x 50 ft Blue Max II hose, whip hose, and RAC X SwitchTip



| MARK PROCONTRACTOR SERIES | PART # | GPM (LPM) |
|---------------------------|--------|------------|
| Mark IV HD | 17E604 | 1.10 (4.1) |
| Mark V HD | 17E606 | 1.35 (5.1) |
| Mark X HD | 17E609 | 2.10 (8.0) |

Mark X HD 17E608 2.10 (8.0)

PART #

17E603

17E605

GPM (LPM)

1.10 (4.1)

1.35 (5.1)

ELECTRIC AIRLESS - LARGE COMMERCIAL AND INDUSTRIAL GAS AIRLESS - NEW RESIDENTIAL AND REPAINT

MARK HD IRONMAN SERIES

BEYOND JOBSITE TOUGH

IronMan Series electric sprayers are built to routinely handle the rugged demands of large commercial and industrial jobs — day in and day out.



THE LONGEST DURABILITY AND LIFE

New Endurance Vortex MaxLife Extreme Piston Pump

Breakthrough Vortex Rotating Piston Technology Keeps You Spraying:

- · Longest life packings and piston rod
- 3X pump rod life
- · Maximum versatility no matter what you're spraying
- Long-life ceramic and stainless steel balls included for maximum versatility



ELIMINATE COSTLY DOWNTIME

ProConnect 2 One-Part Pump Replacement System

 Swap your pump in less than 1 minute — no tools, pins, or parts to lose



NEVER HAVE A FLAT AGAIN

Flat Proof Tires

 No tire puncturing from nails. screws, or any sharp debris



STREAMLINE YOUR BUSINESS

BlueLink Job and Spraver Management System



all Standard Series features:

- **NEW** BlueLink Job and Sprayer Management System
- NEW SmartControl 4.0 with ProGuard
- **NEW** MaxFlo 2 with Pack-Out Protection
- Watchdog Pump Protection System
- · Easy Out Pump Filter
- Precision Advantage Drive
- MaxPower Motor
- · Heavy-Duty Prime Valve

Mark HD IronMan Series sprayers also include

whip hose, and RACX SwitchTip

- **NEW** FastFlush 2

- · Rugged, Durable Cart Design

GMAX II HD STANDARD SERIES EVERYDAY RELIABILITY

Unmatched durability and performance, with the capability to handle the widest range of tip sizes, longer hose lengths, and heavier coatings with ease.



THE MOST RELIABLE PUMP

New Endurance Chromex Piston Pump

- Lasts 2X longer than the next leading brand
- Long-life ceramic and stainless steel balls included for maximum versatility
- Faster cleaning with the QuikAccess intake foot valve

LESS PACK-OUT, MORE PRODUCTIVITY

New MaxFlo 2 with Pack-Out Protection

- Self-cleaning Vibra-Seal Technology eliminates material buildup
- Continuous spraying with True Pack-Out Protection for more productivity
- Optimized fluid passageways for the heaviest coatings

CONSISTENT SPRAY FAN AND PRESSURE CONTROL

SmartControl 3.0

 Ideal for low overspray applications with the lowest dead band at any pressure

THE LONGEST LASTING DRIVE

Precision Advantage Drive

- · The most durable, longest lasting drive in the industry
- Lifetime warranty

EASY MAINTENANCE AND LESS CLOGGING

Easy Out Pump Filter

• Easier filter cleaning and less mess with fewer tip clogs ensure a quality finish

RUGGED AND EASY TO MOVE

Durable Cart Design

- Withstands tough jobsite conditions while absorbing impacts and vibrations
- · Easy hose storage with integrated hose wrap and telescoping handle
- Easy loading with built-in lift handles

RELIABLE, POWERFUL, **AND EASY TO START**

Honda GX Engine

· Oil Alert shuts down engine to prevent damage if oil level drops too low



All GMAX II 7900 HD sprayers feature Graco's MaxLife Pump:

- · Lasts 6X longer between repacks
- Features exclusive hardened MaxLife sleeve and rod
- Oversized clearances ensure minimal pressure drop

| GMAX II HD STANDARD SERIES | PART # | GPM (LPM) |
|----------------------------|--------|-----------|
| GMAX II 5900 HD | 17E839 | 1.6 (6.0) |
| GMAX II 7900 HD | 17E841 | 2.2 (8.3) |

| | MARK IRONMAN SERIES | PART # | GPM (LPM) |
|-----------------------------|---------------------|--------|------------|
| Mark V HD 17E607 1.35 (5.1) | Mark V HD | 17E607 | 1.35 (5.1) |

GAS AIRLESS - LARGE RESIDENTIAL AND COMMERCIAL GAS AIRLESS - LARGE RESIDENTIAL AND COMMERCIAL

GMAX II HD PROCONTRACTOR SERIES



WORK SMARTER, FINISH MORE JOBS

Designed to deliver speed and performance so you can get to the next jobsite faster and increase your profits.



LONGER PUMP LIFE

New MaxLife Endurance Vortex Piston Pump

- Oversized passages for high velocity flow to rotate piston for even wear
- Go 6X longer between repacks with innovative MaxLife coating
- Longest life packings and piston rod
- · Long-life ceramic and stainless steel balls included for maximum versatility



ELIMINATE COSTLY DOWNTIME

ProConnect 2 One-Part Pump **Replacement System**

Swap your pump in less than 1 minute — with no tools, pins, or parts to lose



PREVENT PUMP DAMAGE

WatchDog Pump Protection System

- · Prevents dry pumping damage
- Automatically shuts pump down when paint runs out or if hose is damaged

EASY HOSE MANAGEMENT

QuikReel Hose Management System

- Deploy and rewind up to 300 feet of hose in seconds
- No twisting, kinking, or coiling
- Use only the hose you need the rest stays on the reel

OUICK REFERENCE

LED Display

Easy-to-read display shows:

- · Pressure readout
- Job/lifetime/gallon counter
- Self-diagnostics

GMAX II HD ProContractor Series sprayers also include all Standard Series features:

- NEW MaxFlo 2 with Pack-Out Protection
- SmartControl 3.0
- · Easy Out Filter Manifold
- Precision Advantage Drive
- Honda GX Engine
- Heavy-Duty Prime Valve
- · Rugged, Durable Cart Design





GMAX II HD IRONMAN SERIES BEYOND JOBSITE TOUGH

IronMan Series sprayers are designed and built to handle the most brutal and demanding conditions — typically found on large commercial and industrial jobsites.

THE LONGEST DURABILITY AND LIFE PREVENT PUMP DAMAGE

New MaxLife Extreme Endurance Vortex Piston Pump

Breakthrough Vortex Rotating Piston Technology:

- Oversized passages for high-velocity flow to rotate piston for even wear
- 3X pump rod life
- Longest life packings and piston rod
- · Maximum versatility no matter what you're spraying
- Long-life ceramic and stainless steel balls included for maximum versatility



ELIMINATE COSTLY DOWNTIME

ProConnect 2 One-Part Pump Replacement System

• Swap your pump in less than 1 minute — no tools, pins, or parts to lose



NEVER HAVE A FLAT AGAIN

Flat Proof Tires

· No tire puncturing from nails, screws, or any sharp debris

 Automatically shuts pump down when paint runs out or if hose is damaged

WatchDog Pump Protection System

OUICK REFERENCE

LED Display

Easy-to-read display shows:

- Pressure readout
- Job/lifetime/gallon counter
- Self-diagnostics

GMAX II HD IronMan Series sprayers also include all Standard Series features:

- NEW MaxFlo 2 with Pack-Out Protection
- SmartControl 3.0
- · Easy Out Filter Manifold
- Precision Advantage Drive
- Honda GX Engine
- · Heavy-Duty Prime Valve
- · Rugged, Durable Cart Design



| icady to work, complete with | |
|--|-------|
| exture gun, 3/8 in 50 ft Blue Max II I | nose, |
| whip hose, and RACX SwitchTip | |
| | |

| GINIAN II IID PROGUNTRAGTUR SERIES | PANI# | GPIVI (LPIVI) |
|------------------------------------|--------|---------------|
| GMAX II 5900 HD | 17E840 | 1.6 (6.0) |
| GMAX II 7900 HD | 17E842 | 2.2 (8.3) |

| TEXSPRAY HD IRONMAN SERIES | PART # | GPM (LPM) |
|----------------------------|--------|-----------|
| GMAX II 7900 HD | 17E843 | 2.2 (8.3) |

HYDRAULIC AIRLESS - SMALL RESIDENTIAL AND LIGHT COMMERCIAL **HYDRAULIC AIRLESS - LARGE COMMERCIAL AND COMMERCIAL**

DUTYMAX™ HD STANDARD SERIES



EVERYDAY RELIABILITY

Graco's Standard Series of DutyMax HD hydraulic direct-immersion sprayers delivers durability and performance while easily handling the widest range of tip sizes, longer hose lengths, and heavier coatings,



THE MOST RELIABLE PUMP

Endurance Pump

- Lasts 2X longer than the next leading brand
- Better spraying performance and fast cleaning
- · Long-life ceramic and stainless steel balls included for maximum versatility

EASY MAINTENANCE AND LESS CLOGGING

Easy Out Pump Filter

- · Large filtering area for easier cleaning and fewer tip clogs ensure a quality finish
- · Won't collapse or get stuck with inside out filtering process

INDOOR AND OUTDOOR USE

Honda GX Engine

- Quickly swap the gas engine for an electric motor in seconds — without tools!
- Available on DutyMax GH 230DI Convertible

REDUCED DOWNTIME

High-Capacity Cooling System

- Innovative design allows the pump to run cooler and more efficiently with extremely
- Easier and more thorough fluid changes
- · Reservoir cooling fins deflect more heat

MAINTENANCE-FREE HIGH-PRESSURE DUMPING CAPABILITY

Heavy-Duty Prime Valve

FINISH JOBS FASTER

High-Efficiency Hydraulic Motor

- Fast, responsive changeover
- Less maintenance and longer life with fewer moving parts
- 100% O-ring sealed fittings prevent leaks

RUGGED AND EASY TO MANEUVER

Durable Cart Design

- Withstands the tough jobsite conditions while absorbing impacts and vibrations
- · Retractable handle doubles as coiled hose storage

Ready to Work: complete with texture gun, 3/8 in 50 ft Blue Max II hose, whip hose, and RACX SwitchTip





DUTYMAX HD PROCONTRACTOR SERIES WORK SMARTER, FINISH MORE JOBS

With features that enable you to work more efficiently, the ProContractor Series of DutyMax hydraulic airless sprayers delivers high speed and performance to help you get to the next job faster, saving you time and money.



EXTREME-DUTY MAXLIFE PUMP

Extreme-Duty MaxLife Pump delivers unmatched durability and life.

- Lasts 6X longer between repacks
- Exclusive MaxLife Sleeve
- Oversized clearances ensure minimal pressure drop and increased performance
- Both long-life ceramic and stainless steel ball sets included for maximum versatility no matter what you're spraying





ELIMINATE COSTLY DOWNTIME

ProConnect 2 One-Part Pump Replacement System

- Swap your pump in less than 1 minute — no tools, pins, or parts to lose
- · Eliminates costly jobsite downtime

EASY HOSE MANAGEMENT

QuikReel Hose Management System

- · Deploy and rewind up to 300 feet of hose in seconds
- No twisting, kinking, or coiling

IMPROVED FILTRATION

Crushproof Inlet Strainer

• Stands up to harsh impacts to maintain filtering and flow



DutyMax ProContractor Series sprayers also include all Standard Series features:

- Easy Out Filter Manifold
- High-Efficiency Hydraulic Motor
- Heavy-Duty Prime Valve
- · Rugged, Durable Cart Design
- · High-Capacity Cooling System



| DUTYMAX HD PROCONTRACTOR SERIES | HONDA PART # | VANGUARD PART # | GPM (LPM) |
|---|--------------|-----------------|------------|
| DutyMax GH 230 HD Convertible | 24W962* | NA | 2.35 (8.9) |
| DutyMax GH 230 HD Convertible w/ Electric Motor (non-CSA) | 24W963* | NA | 2.35 (8.9) |
| DutyMax GH 230 HD Convertible w/ Electric Motor (CSA) | 24W964* | NA | 2.35 (8.9) |
| DutyMax GH 300 HD | 24W968 | 24W968V* | 3.0 (11.4) |
| AADD ADDDOUGD | | | |

*CARB APPROVED *CARB APPROVED TEXTURE ACCESSORIES

TEXTURE ACCESSORIES

TEXTURE ACCESSORIES

WORK FASTER AND MORE PRODUCTIVELY

From rugged guns and tips to hoses and hoppers, Graco's accessories let you customize your sprayer for maximum performance to help grow your business.



25-GALLON (95-LITER) TEXTURE HOPPER

This versatile large-capacity hopper connects directly to all airless texture sprayers. It boosts your productivity by minimizing material refills, and it's easy to attach and maneuver throughout the jobsite.

Part # 287987




AIR ATOMIZER KIT

Why limit what you can spray? The air atomizer kit attaches to the Heavy-Duty Texture Gun and the Flex Gun, allowing you to attach an air compressor to create decorative texture finishes such as orange peel, splatter, and knockdown.

Part # 244223 (no hose)

| TEXSPRAY RTX AND GTX SPRAYERS | | | | | | | | | |
|-------------------------------|------------|--|---------------------------------------|------------------------------------|---------------|----------------|---------------|---------------------------------------|--|
| | 288629 | RTX 650, RTX 1400sı Air Spray Trigge | r Gun | | | | | | |
| | 288628 | RTX 900/1250 Air Spray Trigger Gun | | | | | | | |
| GUNS | 24S134 | RTX 1500, 2000pi, 2500pi, and 5000pi | Air Spray Trig | ger Gun with Th | readed Conn | ection | | | |
| - 5 | 24S135 | RTX 5000px and 5500px Air Spray Trig | ger Gun with | Threaded Conn | nection | | | | |
| | 248093 | GTX 2000EX Air Spray Trigger Gun with Threaded Connection | | | | | | | |
| | For use or | Pole Guns and FlexHead Guns (GTX o | nly) | | | | | | |
| | 190943 | 3/16 in (5 mm) Nozzle | 190945 | 5/16 in (8 mr | m) Nozzle | | | | |
| | 190944 | 1/4 in (6 mm) Nozzle | 190946 | 3/8 in (9.5 m | m) Nozzle | | | | |
| | For use or | n RTX 650, 900, 1250 and Hopper Guns | 3 | | | | | | |
| | 234153 | Spray Nozzle Kit – includes 1 each of | 4 mm, 6 mm | , 8 mm, and 12 | mm nozzles | | | | |
| 8 | For use or | RTX Heavy-Duty Texture Gun and GT | X 2000 Serie | s Guns | | | | | |
| NOZZLES | 15C883 | 3 mm Nozzle | 15C885 | 6 mm Nozzle |) | | 15C887 | 10 mm Nozzle | |
| Z | 15C884 | 4 mm Nozzle | 15C886 | 8 mm Nozzle |) | | 15C888 | 12 mm Nozzle | |
| | For use or | n RTX Heavy-Duty Texture Gun and GT | X Heavy-Dut | y Texture Gun | | | | | |
| | 24S142 | WideTex Accessory Kit | 24S138 | WideTex Tip, Hardened, W8, 6-Pack | | | | | |
| | 24S143 | WideTex Accessory Kit, Hardened | 24S139 | WideTex Tip, Hardened, W10, 6-Pack | | | | | |
| | 24S136 | WideTex Tip, Hardened, W4, 6-Pack | 24S140 | WideTex Tip, Hardened, W12, 6-Pack | | | | | |
| | 24S137 | WideTex Tip, Hardened, W6, 6-Pack | 24S141 | WideTex Tip, Hardened, WXL, 6-Pack | | | | | |
| | 288622 | RTX 650 Hose Clear Braided Hose Kit: 3/4 in x 20 ft (19 mm x 6 m) Fluid Hose | | | | | | | |
| | 17J454 | RTX 900, 1250, and 1400SI Braided Hose Kit: 3/4 in x 25 ft (19 mm x 7.6 m) Fluid Hose and 3/8 in x 25 ft (9.5 mm x 7.6 m) Air Hose | | | | | | | |
| | | indard Replacement Hose | | | | | | | |
| | 17J454 | Blue Translucent Hose Kit: 3/4 in x 25 | | | 17L004 | | | : 1-1/4 in x 25 ft (31.7 mm x 7.6 m) | |
| | 17J420 | Blue Translucent Hose Kit: 1 in x 25 f | · | | 17L006 | | | : 1-1/4 in x 35 ft (31.7 mm x 10.7 m) | |
| HOSES | 17L001 | Blue Translucent Hose Kit: 1 in x 35 f | <u>`</u> | , | 17L008 | Blue Translu | cent Hose Kit | : 1-1/4 in x 50 ft (31.7 mm x 15 m) | |
| 물 | 17J421 | Blue Translucent Hose Kit: 1 in x 50 f | t (25.4 mm x | 15 m) | | | | | |
| | , | Heavy-Duty Hose | | | | | | | |
| | 17L010 | Blue Solid Heavy-Duty Hose Kit: 1 in) | • | | 17L005 | | | : 1-1/4 in x 25 ft (31.7 mm x 7.6 m) | |
| | 17L000 | Blue Solid Heavy-Duty Hose Kit: 1 in | • | , | 17L007 | | | : 1-1/4 in x 35 ft (31.7 mm x 10.7 m) | |
| | 17L001 | Blue Solid Heavy-Duty Hose Kit: 1 in | | | 17L009 | Blue Translu | cent Hose Kit | : 1-1/4 in x 50 ft (31.7 mm x 15 m) | |
| | 17L003 | Blue Solid Heavy-Duty Hose Kit: 1 in | | | | | | | |
| | 287314 | RotoFlex HD Pump Hose: for use with | | | | | | | |
| | 288623 | RotoFlex II Pump Hose: for use with F | | | | | | | |
| | 287328 | RTX 1500, External Air Kit – connect | <u> </u> | <u> </u> | | | | | |
| MISC | 17M550 | RTX 5000 and 5500 External Air Kit - | | | | reased atomiza | ition energy | | |
| 2 | 248112 | GTX 2000 Series Siphon Kit: for pump | | | | | | | |
| | 248117 | GTX 2000 Series Air Line Kit: for remo | <u>'</u> | | DEX Air Compr | essor | | | |
| | 248515 | Sponge Ball Clean-Out Kit: for 1 in (2 | · · · · · · · · · · · · · · · · · · · | | | | | | |
| | 15T647 | 50 ft (15 m) 240 V Extension Cord for | KTX 5500 an | d Mark X | | | | | |







29

TEXTURE SPRAYER SPECIFICATIONS **TEXTURE ACCESSORIES**

NOZZLE SELECTION GUIDE

| NOZZLE SIZE | 3 MM | 4 MM | 5 MM | 6 MM | 8 MM | 9.5 MM | 10 MM | 11 MM | 13 MM | 14 MM |
|--------------------------------|------------------------------------|------------------------------------|--------------------------------|---------------------------|---|---|---|---|-------|---|
| INTERIOR Smooth material | Fine Finish Orange Peel/ Fog | Fine Finish Orange Peel/ Fog | Orange Peel, Small Splatter | | Splatter, Small to Medium Knockdown | Acoustics/Popcorn, Splatter, Medium Knockdown | Acoustics/ Popcorn, Large Knockdown | Acoustics/ Popcorn, Large Knockdown | | Acoustics/ Popcorn, Large Knockdown |
| EXTERIOR Aggregate material | up to 1.0 mm (maximum) | up to 1.25 mm (maximum) | up to 1.5 mm (maximum) | up to 2.5 mm (maximum) | up to 2.5 mm (maximum) | up to 2.5 mm (maximum) | up to 2.5 mm (maximum) | up to 2.5 mm (maximum) | | up to 2.5 mm (maximum) |

| ozzle size | e requirement co | luld vary based on material viscosity, | desired finish, | production rate, and air settings. | | | | | | |
|--|------------------|---|-----------------|--|------------------|----------------------------|---------------|---------------------------|--|--|
| | / UD . OH . | V II IID DUTVILLAV IID | ODD WE | | | | | | | |
| | (HD, GMA | X II HD, DUTYMAX HD | SPRAYE | KS | | T | | | | |
| GUNS | 246468 | Flex Plus Gun | 241705 | Heavy-Duty Blue Texture Gun | 245820 | Inline Heavy-Duty Textu | ire Gun | | | |
| HOSE KITS | 241338 | Heavy-Duty Blue Texture Gun Hose Kit with RAC X LTX 531 SwitchTip 3/8 in x 50 ft (9.5 mm x 15 m) 3300 psi Hose, 1/4 in x 3 ft (6.4 mm x 0.9 m) 3300 psi Whip Hose, Couplers, and additional RAC X LTX 427 SwitchTip | | | | | | | | |
| | 289585 | Inline Heavy-Duty Texture (9.5 mm x 3.6 m) Whip Ho | | (it with RAC X LTX 643 SwitchTip 1/ and Fittings | /2 in x 50 ft (1 | 3 mm x 15 m) 4000 psi | Hose, 3/8 in | x 12 ft | | |
| HOPPER | 287987 | 25 Gallon (95 Liter) Textur GMAX II 7900 HD, DutyMa | | rectly connects to Mark IV HD, Mar D, DutyMax GH 300 HD | k V HD, Mark | X HD, GMAX II 5900 HD, | | | | |
| 물 | 243380 | Cam-Lock Hose Adapter (| Connects the | e Texture Hopper to the GMAX II 790 | 00 HD, 1030 I | C units, or HTX 2030 Sp | rayers | | | |
| | 244052 | Heavy-Duty Texture Gun A | ir Atomizer | Kit with Air Hose (minimum air com | pressor ratin | g of 15 cfm at 90 psi) | | | | |
| ည္က | 244223 | Heavy-Duty Texture Gun A | ir Atomizer | Kit without Air Hose (minimum air o | compressor ra | ating of 15 cfm at 90 psi) | | | | |
| MISC | 289669 | 55 Gallon Siphon Kit for M | lark X 240 V | HD, GMAX II 7900 HD, DutyMax G | H 230 HD, Du | tyMax GH 300 HD | | | | |
| | 15T647 | 50 ft (15 m) Extension Co | rd for Mark | X 240 V HD and RTX 5500 | | | | | | |
| ITX 2 | 2030 COM | PLETE, HTX 2030 CO | MPLETE F | PLUS+ SPRAYERS | | | | | | |
| | 17Y910 | STX Air Assist Texture Trig | ger Gun and | d WideTex Kit (Includes 4, 6, 8, 10, | 12 in Nozzles) | | | | | |
| | 24B327 | FreeFlo Inline Gun with 4, | 6, 8, 10 mn | n Nozzles, 18 and 30 Mesh Filters, | RAC X LTX 67 | 1 Tip and Guard | | | | |
| | 24B944 | Pole Gun 3 ft (1 m) with 6 | , 8, 9.5, 11, | 13 mm Nozzles, Cap, Fine Finish A | dapter | | | | | |
| | 24B945 | Flex Head Gun with 6, 8, 9.5, 11, 13 mm Nozzles, Cap, Fine Finish Adapter | | | | | | | | |
| ္က | 241705 | Heavy-Duty Blue Texture Gun | | | | | | | | |
| | 24R054 | HTX 2030 Trigger Gun Applicator | | | | | | | | |
| | FreeFlo In | lo Inline Gun | | | | | | | | |
| | 287227 | Fine Finish Kit includes 3 | mm, 6 mm, | 8 mm, 9.5 mm Spray Discs, Retain | ing Nut, and | Adapter | | | | |
| GUNS AND NOZZLES | 248888 | 3 mm Nozzle | 248525 | 6 mm Nozzle | 248527 | 10 mm Nozzle | | | | |
| 5 | 248524 | 4 mm Nozzle | 248526 | 8 mm Nozzle | | | | | | |
| | Pole And I | Flex Head Pole Guns | | | | | | | | |
| | 16A443 | 5 mm Nozzle | 16A446 | 9.5 mm Nozzle | 16A449 | 14 mm Nozzle | 16A246 | Fine Finish Adapter | | |
| | 16A444 | 6 mm Nozzle | 16A447 | 11 mm Nozzle | 16A405 | Cap, Nozzle – Medium | | | | |
| | 16A445 | 8 mm Nozzle | 16A448 | 13 mm Nozzle | 16A421 | Cap, Nozzle – Hard | | | | |
| مي | 24B326 | 3/4 in X 50 ft (19mm x 30 | m) 50ft Exte | ension Hose (no remote switch) | | | | | | |
| KITS | 24B300 | 3/4 in x 50 ft (19 mm x 15 | 5 m) Fluid H | ose With Remote On/Off Switch | | | | | | |
| | 17S244 | 3/4 in x 100 ft (19 mm x 30 m) Fluid Hose with Remote On/Off Switch | | | | | | | | |
| | 24B140 | | | mp Kit includes High-Pressure Low si Whip Hose, and RAC X LTX 643 S | | y Texture Gun, 3/8 in x 50 |) ft Hose (9. | 5 mm x 15 m), | | |
| | 287987 | 25 Gallon (95 Liter) Textur | e Hopper | | | | | | | |
| MISC | 243380 | Cam-Lock Hose Adapter of | connects Tex | cture Hopper to the HTX 2030 High- | Output Textu | re Pump | | | | |
| | 24C414 | Ball Valve Material Shutof | f Kit | | | | | | | |
| PRES | IDENT 10: | 1, 1030 FC SPRAYERS | S | | | | | | | |
| 235490 10:1 President Air Spray Gun 235737 1030 FC Hose Kit 3/4 in x 50 ft (19 mm x 15 m) Fluid Hose. 1/2 in x 50 ft (13 mm x 15 m) Air Hose | | | | | | | | | | |
| 皇 | 235737 | 1030 FC Hose Kit 3/4 in x | 50 ft (19 m | m x 15 m) Fluid Hose, 1/2 in x 50 f | t (13 mm x 1 | 5 m) Air Hose | | | | |
| EXS | PRAY FAST | FINISH SPRAYERS | | | | | | | | |
| | 25D496 | FastFinish Pressure-Boost | ted Hopper (| Gun | 17V694 | Nozzle Kit (4 mm. 6 mm | , 8 mm) (Fas | tFinish and G-TEX Guns on | | |
| ᇙᇕ | 25D497 | G-TEX Metal Bodied Gravi | | | 26A563 | 3/8 in x 50 ft Non-mark | | | | |
| | 17V692 | WideTex Kit (w/ adapter, 4 (FastFinish and G-TEX Gui | mm, 6 mm | • | 245924 | Plastic-Bodied Gravity- | | | | |



| | | TexSpray RTX 1400si | TexSpray RTX 2000pi | TexSpray RTX 2500pi | TexSpray RTX 5000pi | TexSpray RTX 5000px | TexSpray RTX 5500PX 240 V | TexSpray GTX 2000ex | TexSpray FastFinish |
|-----------------|--------------------------|--|--|--|--|--|--|--|--|
| #NCE | Max psi (bar) | 70 (4.8) | 70 (4.8) | 100 (6.9) | 100 (6.9) | 100 (6.9) | 100 (6.9) | 120 (8.3) | N/A |
| PERFORMANCE | Max gpm (lpm) | 1.4 (5.3) | 2.0 (7.6) | 2.5 (9.5) | 5.0 (19) | 5.0 (19) | 5.5 (21) | 4.0 (15.1) | N/A |
| 更 | Motor | 1.7 hp | 1.7 hp | 1.7 hp | 2.0 hp | 2.0 hp | 2.0 hp | N/A | 2.0 hp |
| COMPRESSOR | Compressor Air Output | 6.1 cfm at 20 psi .17 m ³ /min | 6.1 cfm at 20 psi .17 m³/min | 6.1 cfm at 20 psi .17 m³/min | 8.6 cfm at 20 psi .24 m³/min | 8.6 cfm at 20 psi .24 m³/min | 9.1 cfm at 20 psi .26 m³/min | User Supplied Air Compressor Required Minimum Require- ments: 12 cfm at 100 psi.33 m³/min | 9.0 cfm at 40 psi .25 m³/min |
| | Gun | Lightweight Air Spray Trigger | Heavy-Duty Air Spray Trigger | Heavy-Duty Air Spray Trigger | Heavy-Duty Air Spray Trigger | Heavy-Duty Air Spray Trigger | Heavy-Duty Air Spray Trigger | Heavy-Duty Air Spray Trigger | FastFinish Pressure Boosted (Pro Model) G-TEX Gravity-Feed (Standard Model) |
| | Hose | 3/4 in x 25 ft (19 mm x 7.6 m) | 1 in x 25 ft (25.4 mm x 7.6 m) | 1 in x 25 ft (25.4 mm x 7.6 m) | 1 in x 25 ft (25.4 mm x 7.6 m) | 1-1/4 in x 25 ft HD (32 mm x 7.6 m) | 1-1/4in x 25 ft HD (32 mm x 7.6 m) | 1 in x 25 ft (25.4 mm x 7.6 m) | 3/8 in x 50 ft Non-Marking Air Hose (Standard and Pro Models) |
| DES | Max Hose Length | 25 ft (7.6 m) | 50 ft (15.2 m) | 75 ft (23 m) | 100 ft (30 m) | 100 ft (30 m) | 100 ft (30 m) | 100 ft (30 m) | 150 ft (46 m) |
| INCLUDES | Tips | 4 mm, 6 mm, 8 mm,10 mm round nozzles | 3 mm, 4 mm, 6 mm, 8 mm, 10 mm, 12 mm round nozzles | 3 mm, 4 mm, 6 mm, 8 mm, 10 mm, 12 mm round nozzles | 3 mm, 4 mm, 6 mm, 8 mm, 10 mm,12 mm round nozzles | 3 mm, 4 mm, 6 mm, 8 mm, 10 mm, 12 mm round nozzles | 3 mm, 4 mm, 6 mm, 8 mm, 10 mm, 12 mm round nozzles | 3 mm, 4 mm, 6 mm, 8 mm, 10 mm, 12 mm round nozzles | |
| | | | WideTex Adapter with 4 mm, 6 mm, 8 mm, 10 mm, 12 mm XL W tips | WideTex Adapter with 4 mm, 6 mm, 8 mm, 10 mm, 12 mm XL W tips | WideTex Adapter with 4 mm, 6 mm, 8 mm, 10 mm, 12 mm XL W tips | WideTex Adapter with Hardened 4 mm, 6 mm, 8 mm, 10 mm, 12 mm XL W tips | WideTex Adapter with Hardened 4 mm 6 mm, 8 mm, 10 mm, 12 mm XL W tips | | 4 mm, 6 mm, 8 mm nozzles WideTex Adapter with 4 mm, 6 mm, 8 mm tips |
| SA | Weight lb (kg) | 63 (28.5) | 70 (31.7) | 72 (32.6) | 159 (72.1) | 163 (73.9) | 163 (73.9) | 95 (43) | Air Compressor: 68 lbs (27) FastFinish Gun: 4.8 (2.2) G-TEX Gun: 4.1 (1.9) |
| DIMENSIONS | Dimensions | 20 W x 24 L x 41 H in (51 W x 61 L x 104 H cm) | 22 W x 24 L x 41 H in (46 W x 56 L x 104 H cm) | 22 W x 24 L x 41 H in (46 W x 56 L x 104 H cm) | 23 W x 30 L x 41 H in (58 W x 76 L x 104 H cm) | 23 W x 30 L x 41 H in (58 W x 76 L x 104 H cm) | 23 W x 30 L x 41 H in (58 W x 76 L x 104 H cm) | 26 W x 27 L x 40 H in (66 W x 88 L x 102 H cm) | 15 W x 22 L x 37 H in (38 W x 56 L x 94 H cm) |
| | Hopper gal (liter) | 10 (38) | 13 (49) | 15 (57) | 15 (57) | 15 (57) | 15 (57) | 17 (64) | 1.5 (5.7) |
| MANUALS | Operation | 3A3258 | 3A3258 | 3A3258 | 3A3265 | 3A3265 | 3A3265 | 313384 | 3A5542 |
| | Repair | 3A3258 | 3A3258 | 3A3258 | 3A3265 | 3A3265 | 3A3265 | 313385 | 3A5542 |
| AL APPLICATIONS | Materials Sprayed | Simulated acoustic and drywall mud | Simulated acoustic and drywall mud | Simulated acoustic and drywall mud | Simulated acoustic and drywall mud | Simulated acoustic, drywall mud, elastomerics, deck coatings, and some cement-based materials | Simulated acoustic, drywall mud, elastomerics, deck coatings, and some cement-based materials | Simulated acoustic, drywall mud, elastomerics, deck coatings, and some cement-based materials | Acoustics, acrylics, drywall mud, elastomeric, deck coatings, fireproofing, waterproofing, cement-based materials |
| TYPICA | Surfaces | Residential and light commercial interiors | Residential and light commercial interiors | Residential and light commercial interiors | Residential and light commercial interiors | Residential and commercial exteriors | Residential and commercial exteriors | Residential and commercial exteriors | Residential and commercial interiors and exteriors |
| MODEL | Part Number | 17H572 | 17H573 | 17U219 | 17H575 | 17H579 | 17H581 | 257030 | FastFinish Pro: Complete System 25D492 FastFinish Standard: Complete System 25D494 FastFinish CF9 Air Compressor Only: 25D490 FastFinish Pressure-Boosted Gun Only: 25D496 G-TEX Gravity-Feed Gun Only: 25D497 |

TEXTURE SPRAYER SPECIFICATIONS



| | | TexSpray T-MAX 6912 |
|----------------|----------------------|---------------------|
| | Maximum Tip Size | 0.071 |
| SNOI | Maximum psi (bar) | 1000 (69) |
| SPECIFICATIONS | Maximum gpm (lpm) | 3.2 (12) |
| 8 | Motor/Engine | 2.0 hp Brushless DC |
| | Voltage | 120V |

| | ТҮРЕ | 50 FT Air-Assisted w/STX Gun and Hopper | 50 FT Airless Model w/Lance and Hopper | 100 FT Air-Assisted w/STX Gun and Hopper | 100 FT Air-Assisted w/STX Gun, Mixer and Hopper | 100 FT Air-Assisted w/STX Gun and 55 Gallon Siphon Set |
|----------|---------------------------|---|--|---|---|---|
| MODEL | Part Number | 17Z283 | 17X989 | 17Z284 | 17Z703 | 18A556 |
| | T-MAX 6912 Pump Module | • | • | • | • | • |
| | Hopper | 25 Gallon | 25 Gallon | 25 Gallon | 25 Gallon | - |
| | Gun | STX Air-Assist Texture Trigger Gun | Heavy-Duty Inline Lance | STX Air-Assist Texture Trigger Gun | STX Air-Assist Texture Trigger Gun | STX Air-Assist Texture Trigger Gun |
| INCLUDES | Hoses | 1 in x 50 ft Material Hose 3/4 in x 10 ft Whip Hose | 1 in x 50 ft Material Hose 3/4 in x 10 ft Whip Hose | 1 in x 100 ft Material Hose 3/4 in x 10 ft Whip Hose | 1 in x 100 ft Material Hose 3/4 in x 10 ft Whip Hose | 3/4 in x 100 ft Material Hose 3/4 in x 10 ft Whip Hose |
| = | Round Nozzles | 4 mm, 6 mm, 8 mm, 10 mm, 12 mm | | 4 mm, 6 mm, 8 mm, 10 mm, 12 mm | 4 mm, 6 mm, 8 mm, 10 mm, 12 mm | 4 mm, 6 mm, 8 mm, 10 mm, 12 mm |
| | Tip(s) | WideTex Adapter with 4 mm, 6 mm, 8 mm, 10 mm, 12 mm XL Hardened Wide Tips | .0651 | WideTex Adapter with 4 mm, 6 mm, 8 mm, 10 mm, 12 mm XL Hardened Wide Tips | WideTex Adapter with 4 mm, 6 mm, 8 mm, 10 mm, 12 mm XL Hardened Wide Tips | WideTex Adapter with 4 mm, 6 mm, 8 mm, 10 mm, 12 mm XL Hardened Wide Tips |
| | Misc. | - | - | - | CM20 Continuous Mixer | 55 Gallon Siphon Set |







| | | 10:1 President | | |
|-------|-----------------------------|---|------------------------|-----|
| - | Max psi (bar) | 1000 (70) | | F |
| | Max gpm (lpm) | 3.0 (11) | | |
| | Motor | President Air | | |
| | Compressor Air Output | User Supplied Minimum Air Compressor Rating: 80 cfm at 90 psi for best results | | H 1 |
| | Gun | Heavy-Duty Air Spray | ONS | 1 |
| | Max Hose Length | 200 ft (60.7 m) | SPRAYER CONFIGURATION | (|
| | Nozzle | 6 mm | .R CO | - 5 |
| | Weight lbs (kg) | 43 (20) Pump Only | SPRAYI | F |
| | Dimensions | 5 L x 5 W x 57 H (18 W x 145 L cm) | | 5 |
| ! | CS Models | 306402 | | F |
| | SST Models | 309489 | | ı |
| ! | Materials Sprayed | Smooth to heavily aggregated textures with silica sand, perlite, verniculite, and polystyrene; | | 3 |
| | | smooth, medium, coarse, and extra coarse grade | | F |
| | 0.1 | | | |
| | Surfaces | Heavy-duty residential and commercial interiors and | | ı |
| | | exteriors | | ľ |
| | Part Number | Carbon Steel Complete – 225886 • Heavy-Duty Air Spray Gun | | 1 |
| | | 6 mm Nozzle 3/8 in x 25 ft (9.5 mm x 7.5 m) Air Hose 3/4 in x 25 ft (19 mm x 7.5 m Air Hose | | (|
| | | 3/4 in x 25 ft (19 mm x 7.5 m) High Pressure Material Hose | LIONS | (|
| | | Carbon Steel Complete – 225877 SST Complete – 987429 • Heavy-Duty Air Spray Gun | ECHNICAL SPECIFICATION | |
| i | | 6 mm Nozzle 3/8 in x 100 ft (9.5 mm x 30 m) Air Hose 3/4 in x 25 ft (19 mm x 7.5 m Air Hose | HICK | ١ |
| | | 3/4 in x 50 ft (19 mm x 15 m) High-Pressure Material Hose 1 in x 50 ft (25 mm x 15 m) | 121 | F |
| | | High-Pressure Material Hose | | I |
| | | SST Bare – 954088 | | F |
| | | | | |
| | | | 1 | - 1 |

| | | and the same of th | all a | |
|------------------------|--|--|--|--|
| | | TexSpray HTX 2030 Complete | | y HTX 2030 ete Plus+ |
| | For Spraying | For exterior aggregate and smooth finishes as well as common interior texture finishes, such as orange peel, splatter, knockdown, and simulated acoustic | finishes, as well a texture finishes. apply the wide ra | egate and smooth as common interior Can also airlessly unge of heavier Level 5, primers, |
| | INCLUDES: | | | |
| | High-Output Piston Texture Pump | • | | • |
| SPRATER CONFIGURALIONS | Texture Gun and 3/4 in (19 mm) Hose | • STX Trigger Gun and 50 ft hose (26C681) • STX Trigger Gun and 100 ft hose (26C682) • FreeFlo Inline Gun and 50 ft hose (258740) | • STX Trigger Gun and 50 ft hose (26C683) • STX Trigger Gun and 100 ft hose (26C684) • FreeFlo Inline Gun and 50 ft hose (258741) | |
| | 55-Gallon Suction Set | • | | • |
| | Fine Finish Kit with 1/8 in, 1/4 in, 5/16 in, and 3/8 in Nozzles | • | | • |
| | 4, 6, 8, 10 mm Nozzles | • | | • |
| | RAC X LTX 671 Airless Tip | • | | • |
| | MaxLife Endurance High Pressure Airless Pump | Optional (Pump Kit 24B140) | | • |
| | 3/8 in x 50 ft (9.5 mm x 15 m) Blue- Max II Hose and 3 ft (1 m) Whip Hose | N/A | | • |
| | RAC X LTX 643 Airless Tip | N/A | | • |
| | | High-Output Texture Pump | With High-Output Texture Pump | With MaxLife Endurance High- Pressure Pump |
| | Maximum Tip Size | 0.071 | 0.071 | 0.048 |
| | Maximum gpm (lpm) | 3.0 (11) | 3.0 (11) | 2.2 (8.3) |
| | Maximum psi (bar) | 1000 (70) | 1000 (70) | 3300 (227) |
| _ | Honda Engine cc (hp at 3600 rpm) | 200 (6.5) | | 00 (6.5) |
| EUMIUAL SPEDIFICALIUNS | Compressor | User-supplied air compressor required for some texture finishes. Minimum air compressor rating 25 cfm at 90 psi (708 lpm at 6.2 bar) for best results | User-supplied air compressor requir for some texture finishes. Minimum compressor rating 25 cfm at 90 psi (708 lpm at 6.2 bar) for best results | |
| | Weight lbs (kg) | 155 (70) | 155 (70) | 150 (68) |
| _ | PUMP: | | | |
| | Intake | QuikAccess | QuikAccess | QuikAccess |
| | Rod | Hard Chrome | Hard Chrome | Chromex |
| | Sleeve | Hard Chrome | Hard Chrome | MaxLife |
| | 0.0010 | | | |

| | | Mark IV HD |
|----------------|--------------------------|--|
| | Maximum Tip Size | 0.033 |
| | Maximum psi (bar) | 3300 (227) |
| ONS | Maximum gpm (Ipm) | 1.10 (4.1) |
| SPECIFICATIONS | Motor/Engine | MaxPower 2.2 hp Brushless DC |
| SPECI | Control | SmartControl 3.0 |
| | Weight Ib (kg) | 108 (49) |
| | Compressor Air Output | Compressor and Air Atomizer Kit required for some texture finishes |

| Mark V HD | |
|--|--|
| 0.039 | |
| 3300 (227) | |
| 1.35 (5.1) | |
| MaxPower 2.8 hp Brushless DC | |
| SmartControl 3.0 | |
| 135 (61) | |
| Compressor and Air Atomizer Kit required for some texture finishes | |












| | SERIES TYPE | STANDARD | PROCONTRACTOR | STANDARD | PROCONTRACTOR | IRONMAN |
|-------------------------|----------------------------------|---|---|---|---|--|
| MODEL | Part Number | 17E603 | 17E604 | 17E605 | 17E606 (Canada) 17E628 | 17E607 |
| | BlueLink | • | • | • | • | • |
| 60 | Gun | Flex Plus | Flex Plus | Heavy-Duty Blue Texture | Heavy-Duty Blue Texture | Heavy-Duty Blue Texture |
| INCLUDES | Hose | 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose | 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose | 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose | 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose | 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose |
| | Tip(s) | RAC X LTX 425 | RAC X LTX 425 | RAC X LTX 427 and 531 | RAC X LTX 427 and 531 | RAC X LTX 427 and 531 |
| | Filter | 60 Mesh Easy Out | 60 Mesh Easy Out |
| | Туре | QuikChange System | ProConnect 2 | QuikChange System | ProConnect 2 | ProConnect 2 |
| B | Rod | Chromex | MaxLife w/ Vortex | Chromex | MaxLife w/ Vortex | MaxLife Extreme w/ Vortex |
| PUMP | Sleeve | Hardened SST | MaxLife | Hardened SST | MaxLife | MaxLife |
| | MaxFlo 2 | • | • | • | • | • |
| | | - | QuikReel | - | QuikReel | - |
| | ADDITIONAL | FastFlush 2 | FastFlush 2 | FastFlush 2 | FastFlush 2 | FastFlush 2 |
| | ADDITIONAL Series Features | _ | - | - | - | Flat Proof Tires |
| | real unes | WatchDog | WatchDog | WatchDog | WatchDog | WatchDog |
| | | - | Crushproof Inlet Strainer | - | Crushproof Inlet Strainer | Crushproof Inlet Strainer |
| M | Operation | 3A6342 | 3A6342 | 3A6342 | 3A6342 | 3A6342 |
| MANUAL | Parts | 3A6342 | 3A6342 | 3A6342 | 3A6342 | 3A6342 |
| TYPICAL APPLICATIONS | Materials Sprayed | Oil-based coatings, enamels, latex, block-fillers, elastomerics, epoxies, drywall mud, and other high-build materials | Oil-based coatings, enamels, latex, block-fillers, elastomerics, epoxies, drywall mud, and other high-build materials | Oil-based coatings, enamels, latex, block-fillers, elastomerics, epoxies, drywall mud, and other high-build materials | Oil-based coatings, enamels, latex, block-fillers, elastomerics, epoxies, drywall mud, and other high-build materials | Oil-based coatings, enamels, latex, block-fillers, elastomerics, epoxies, drywall mud, other high-build materials |
| TI | Surfaces | Medium to large residential and commercial interiors and exteriors | Large commercial and industrial interiors and exteriors |







| | SERIES TYPE | STANDARD | PROCONTRACTOR |
|-------------------------|----------------------|--|--|
| MODEL | Part Number | 17E608 | 17E609 |
| | BlueLink | • | • |
| 88 | Gun | Inline Heavy-Duty Texture | Inline Heavy-Duty Texture |
| INCLUDE | Hose | 1/2 in x 50 ft (13 mm x 15 m) BlueMax II Airless Hose | 1/2 in x 50 ft (13 mm x 15 m) BlueMax II Airless Hose |
| | Tip(s) | RAC X LTX 531 and 541 | RAC X LTX 531 and 541 |
| | Filter | 60 Mesh Easy Out | 60 Mesh Easy Out |
| | Туре | QuikChange System | ProConnect 2 |
| PUMP | Rod | Chromex | MaxLife w/ Vortex |
| Sleeve | | Hardened SST | MaxLife |
| | MaxFlo 2 | • | • |
| | | - | QuikReel |
| | ADDITIONAL | - | _ |
| | SERIES FEATURES | - | - |
| | ILAIUILO | WatchDog | WatchDog |
| | | - | Crushproof Inlet Strainer |
| NAL | Operation | 3A6342 | 3A6342 |
| MAN | Parts | 3A6342 | 3A6342 |
| TYPICAL Applications | Materials Sprayed | Oil-based coatings, enamels, latex, block- fillers, elastomerics, epoxies, drywall mud, and other high-build materials | Oil-based coatings, enamels, latex, block- fillers, elastomerics, epoxies, drywall mud, and other high-build materials |
| TY APPLI | Surfaces | Large residential and commercial interiors and exteriors | Large residential and commercial interiors and exteriors |

35

| | | GMAX II 5900 HD |
|----------------|--------------------------|--|
| | Maximum Tip Size | 0.043 |
| | Maximum psi (bar) | 3300 (227) |
| ONS | Maximum gpm (lpm) | 1.60 (6.0) |
| SPECIFICATIONS | Motor/Engine | Honda 200 cc (6.5 hp) |
| SPECI | Control | SmartControl 3.0 |
| | Weight Ib (kg) | 147 (67) |
| | Compressor Air Output | Compressor and Air Atomizer Kit required for some texture finishes |

| GMAX II 7900 HD |
|--|
| 0.048 |
| 3300 (227) |
| 2.20 (8.3) |
| Honda 200 cc (6.5 hp) |
| SmartControl 3.0 |
| 159 (72) |
| Compressor and Air Atomizer Kit required for some texture finishes |












| SERIES TYPE | | STANDARD | PROCONTRACTOR |
|----------------------|----------------------|---|---|
| Part Number | | 17E839 | 17E840 |
| NCLUDES | Gun | Heavy-Duty Blue Texture | Heavy-Duty Blue Texture |
| | Hose | 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose | 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose |
| | Tip(s) | RAC X LTX 427 and 531 | RAC X LTX 427 and 531 |
| | Filter | 60 Mesh Easy Out | 60 Mesh Easy Out |
| | Туре | QuikChange System | ProConnect 2 |
| PUMP | Rod | Chromex | MaxLife w/Vortex |
| | Sleeve | Hardened SST | MaxLife |
| | MaxFlo 2 | • | • |
| | | _ | QuikReel |
| | | - | Crushproof Inlet Strainer |
| | ADDITIONAL SERIES | _ | LED Display |
| FEATURES | | - | WatchDog |
| | | _ | _ |
| UAL | Operation | 3A6400 | 3A6400 |
| MANUAL | Parts | 3A6417 | 3A6417 |
| TYPICAL APPLICATIONS | Materials Sprayed | Oil-based coatings, enamels, latex, block- fillers, elastomerics, epoxies, drywall mud, other high-build materials | Oil-based coatings, enamels, latex, block- fillers, elastomerics, epoxies, drywall mud, other high-build materials |
| TYPICAL | Surfaces | Medium to large residential and commercial interiors and exteriors | Medium to large residential and commercial interiors and exteriors |

| STANDARD | PROCONTRACTOR | IRONMAN |
|---|---|--|
| 17E841 | 17E842 | 17E843 |
| Heavy-Duty Blue Texture | Heavy-Duty Blue Texture | Heavy-Duty Blue Texture |
| 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose | 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose | 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose |
| RAC X LTX 427 and 531 | RAC X LTX 427 and 531 | RAC X LTX 427 and 531 |
| 60 Mesh Easy Out | 60 Mesh Easy Out | 60 Mesh Easy Out |
| QuikChange System | ProConnect 2 | ProConnect 2 |
| MaxLife | MaxLife w/Vortex | MaxLife Extreme w/Vortex |
| MaxLife | MaxLife | MaxLife |
| • | • | • |
| _ | QuikReel | - |
| _ | Crushproof Inlet Strainer | Crushproof Inlet Strainer |
| _ | LED Display | LED Display |
| _ | WatchDog | WatchDog |
| _ | _ | Flat Proof Tires |
| 3A6400 | 3A6400 | 3A6400 |
| 3A6417 | 3A6417 | 3A6417 |
| Oil-based coatings, enamels, latex, block- fillers, elastomerics, epoxies, drywall mud, other high-build materials | Oil-based coatings, enamels, latex, block- fillers, elastomerics, epoxies, drywall mud, other high-build materials | Oil-based coatings, enamels, latex, block- fillers, elastomerics, epoxies, drywall mud, other high- build materials |
| Large residential and commercial interiors and exteriors | Large residential and commercial interiors and exteriors | Large commercial and industrial interiors and exteriors |

| | | DutyMax GH 230 HD Convertible |
|----------------|--------------------------|--|
| SPECIFICATIONS | Maximum Tip Size | 0.053 |
| | Maximum psi (bar) | 3300 (227) |
| | Maximum gpm (lpm) | 2.35 (8.9) Gas Engine / 1.10 (4.2) Electric Motor |
| | Motor/Engine | Honda 200 cc (6.5 hp) |
| | Control | - |
| | Weight Ib (kg) | 203 (92) |
| | Compressor Air Output | Compressor and Air Atomizer Kit required for some texture finishes |
| | | |









DutyMax GH 300 HD

| | SERIES TYPE | STANDARD | PROCONTRACTOR |
|----------------------|----------------------|---|--|
| Part Number | | 24W943* Gas Only 24W944* Gas and 120 V Electric (non-CSA) 24W945* Gas and 120 V Electric (CSA) | 24W962* Gas Only 24W963* Gas and 120 V Electric (non-CSA) 24W964* Gas and 120 V Electric (CSA) |
| NCLUDES | Gun | Heavy-Duty Blue Texture | Heavy-Duty Blue Texture |
| | Hose | 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless Hose 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose | 3/8 in x 100 ft (9.5 mm x 30 m) BlueMax II Airless Hose 1/4 in x 3 ft (6.4 mm x 0.9 m) BlueMax II Whip Hose |
| | Tip(s) | RAC X LTX 427 and 531 | RAC X LTX 427 and 531 |
| | Filter | 60 Mesh Easy Out | 60 Mesh Easy Out |
| | Туре | QuikChange System | ProConnect 2 |
| PUMP | Rod | Hard Chrome | Hard Chrome |
| | Sleeve | Hardened SST | MaxLife |
| | MaxFlo | • | • |
| | | _ | QuikReel |
| | annitional | - | Crushproof Inlet Strainer |
| | ADDITIONAL SERIES | - | _ |
| | FEATURES | - | - |
| | | - | _ |
| TYPICAL APPLICATIONS | Materials Sprayed | Oil-based coatings, enamels, latex, block-fillers, elastomerics, epoxies, drywall mud, and other high-build materials | Oil-based coatings, enamels, latex, block-fillers, elastomerics, epoxies, drywal mud, and other high-build materials |
| TYPICAL A | Surfaces | Medium to large residential and commercial interiors and exteriors | Medium to large residential and commercial interiors and exteriors |

| STANDARD | PROCONTRACTOR |
|--|--|
| Honda 24W967 Vanguard 24W967V* | Honda 24W968 Vanguard 24W968V* |
| Inline Heavy-Duty Texture | Inline Heavy-Duty Texture |
| 1/2 in x 50 ft (13 mm x 15 m) BlueMax II Airless Hose 3/8 in x 12 ft (9.5 mm x 3.7 m) BlueMax II Whip Hose | 1/2 in x 100 ft (13 mm x 30 m) BlueMax II Airless Hose 3/8 in x 12 ft (9.5 mm x 3.7 m) BlueMax II Whip Hose |
| RAC X LTX 643 and WideRAC 1239 | RAC X LTX 643 and WideRAC 1239 |
| 60 Mesh Easy Out | 60 Mesh Easy Out |
| QuikChange System | ProConnect 2 |
| Hard Chrome | Hard Chrome |
| Hardened SST | MaxLife |
| • | • |
| - | QuikReel |
| - | Crushproof Inlet Strainer |
| - | - |
| - | - |
| _ | - |
| Oil-based coatings, enamels, latex, block-fillers, elastomerics, epoxies, drywall mud, and other high-build materials | Oil-based coatings, enamels, latex, block-fillers, elastomerics, epoxies, drywall mud, and other high-build materials |
| Medium to large residential and commercial interiors and exteriors | Medium to large residential and commercial interiors and exteriors |

*CARB APPROVED



SPRAY WITH CONFIDENCE

Industry-Leading Warranty Protection

Behind every Graco sprayer is the industry's strongest warranty. You may never need to use Graco's warranty — but if you do, we will be there.

3-YEAR HONDA ENGINE WARRANTY*

If the engine fails from normal use, Honda will replace it under warranty for the original owner for 3 years.

LIFETIME DRIVETRAIN

WARRANTY (GMAX only)
If the drivetrain fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer.

30-DAY "JUST ADD PAINT" REPLACEMENT GUARANTEE*

Dissatisfied? Simply return the sprayer to the place you bought it within 30 days. They'll either exchange it for an identical sprayer or you can trade up to a larger sprayer at an additional cost.

3-YEAR WARRANTY*

Coverage against defects in materials and workmanship on the entire sprayer.

DOWNTIME ELIMINATOR PROGRAM*

Part needed for a warranty repair not in stock at your distributor? Get FREE next business day air freight delivery when distributor orders the part by 2 p.m. CT.

CONVENIENT SERVICE

Graco offers more than 5,500 authorized distributor locations in North America and over 700 locations to administer warranty repair.

*NORTH AMERICA ONLY. See your local Graco Distributors for country specific.

See printed product warranty for complete warranty terms and conditions.



Finish Every Job, Every Time

Downtime is costly. With the Endurance Advantage Program, you'll never need to worry about it again. Depending on the sprayer you purchase:

Receive up to 70% OFF the list price of an Endurance Pump.

Follow the registration instructions included with your sprayer.



Every Graco purchase comes with A+ Customer Service.

Questions? Call (844) 241-9499

For more information visit graco.com/contractor